



# LANDMARK SLICED OAK

Engineered



5099 Great Basin

# LANDMARK SLICED OAK



	US Units	Metric Units
<b>Style Number</b>	<b>SW747</b>	
<b>Construction</b>	Engineered	
<b>Species</b>	Red Oak	
<b>Nominal Overall Thickness</b>	1/2"	11.4 mm
<b>Nominal Width</b>	9.25"	234.95 mm
<b>Maximum Length</b>	Random lengths up to 82.5"	Random lengths up to 209.55 cm
<b>Finish</b>	Repel - Water Resist	
<b>Gloss Level</b>	7%	
<b>Surface Texture</b>	Wirebrushed	
<b>Edge Description</b>	Bevel	
<b>End Description</b>	Be	
<b>Profile</b>	Tongue And Groove	
<b>Weight per Carton</b>	65 lbs	29.48 kg
<b>SQFT per Carton</b>	31.16 sq ft	2.89 sq m
<b>SQFT per Pallet</b>	1121.76 sq ft	104.21 sq m
<b>Installation Methods</b>	Nail, Staple, Glue, Floating	
<b>Installation Grade</b>	Above, On, Below	
<b>Variation</b>	High	
<b>GREENGUARD® Certified</b>	Yes	
<b>Radiant Heat Approved</b>	Yes	
<b>Residential Warranty</b>	Repel Hardwood Lifetime	
<b>Commercial Warranty</b>	5 Year Commercial	
<b>Installation</b>	<a href="#">Repel Water Resistant Hardwood Flooring Installation Guidelines</a>	
<b>Maintenance</b>	<a href="#">Hardwood Maintenance Guidelines</a>	
<b>Regional Availability</b>	Not Available in Canada	
All measurements are nominal.	Cartons may include random lengths.	

**Trim Pieces** length: 78" (\*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)



**SRH12**  
Flush Reducer



**SORH2**  
\*Overlap Reducer



**SSH12**  
Flush Stairnose



**SOSH2**  
\*Overlap Stairnose



**SCH12**  
Threshold / Carpet Reducer



**TMH78**  
T-Molding



**QTR96**  
Quarter Round

Trim images are for illustration purposes only. Actual dimensions will vary. Contact the Shaw Information Center for additional details: 800-441-7429.



MADE IN THE USA

shawfloors.com



# LANDMARK SLICED OAK



## Colors



1118 Glacier



1122 Gateway



1125 Bandelier



5099 Great Basin