





7068 Ryman

	US Units	Metric Units
<b>Style Number</b>	<b>2019V</b>	
<b>Construction</b>	Manufactured SPC Residential	
<b>Profile</b>	Fold-N-Tap	
<b>Size</b>	7" x 48"	17.78 cm x 121.92 cm
<b>Overall Thickness</b>	0.197"	5 mm
<b>Wear Layer Thickness</b>	20 mil (0.02")	0.5 mm
<b>Attached Underlayment</b>	XPO Pad	
<b>Attached Underlayment Thickness</b>	0.039"	1 mm
<b>Finish</b>	ScuffResist Platinum	
<b>Edge Description</b>	Accent Bevel	
<b>Area per Carton</b>	21.25 sq ft	1.97 sq m
<b>Area per Pallet</b>	1700 sq ft	15794 sq m
<b>Installation Methods</b>	Floating	
<b>Installation Grade</b>	Above, On, Below	
<b>FloorScore Certified</b>	Yes	
<b>Residential Warranty</b>	<a href="#">Residential Resilient Lifetime Limited Warranty</a>	
<b>Installation</b>	<a href="#">Floorte Pro 3 &amp; 5 Installation Guidelines</a>	
<b>Maintenance</b>	<a href="#">Residential Resilient Maintenance</a>	

## Colors



## Coordinating Trim



**Baby Threshold\***

BT3NS | 94"


VSBTB | 94"



**T-Molding\***

TM3NS | 94"

VSTM7 | 94"



**Multi-Purpose Reducer**

RD3NS | 94"

VSMP7 | 94"



**Quarter Round**

QTRNS | 94"

VSQT7 | 94"



**Flush Stairnose**

FS4NS | 94"

\*Packaged with molding track

