

# Cashmere Classic I

Anderson Tufftex®



## Specifications

|                        |   |
|------------------------|---|
| Style Number           | CCS68   |
| Construction           | Texture   |
| Fiber Content          | 100% ANSO® Nylon  |
| Weight                 | 48.8 Oz/Yd <sup>2</sup>   1654.6 G/M <sup>2</sup>                           |
| Total Recycled Content | 0% (Pre-Consumer 0%   Post-Consumer 0%)                                     |
| Pile Thickness         | 0.562 In   14.27 Mm   |
| Colors                 | 50  |
| Backing                | SoftBac® Platinum   |
| Width                  | 12 Ft   |
| Dye Method             | Continuous Dyed   |
| Par Rating             | 3.25  |
| Pill Test              | Pass  |
| Sustainability         | Environmental Product Declaration (EPD)<br>CRI® Green Label Plus (GLP8878 ) |
| Warranties             | Shaw 20 Year Warranty With No Stairs  |

Product image for illustration purposes only. Actual product will vary.

# Cashmere Classic I

Anderson TufTex<sup>®</sup>




Product image for illustration purposes only; Actual product will vary.

ANDERSONTUFTEX.COM

For reference purposes only if printed or downloaded.

# Cashmere Classic I

Anderson Tuftex®



*Product image for illustration purposes only. Actual product will vary.*