

HARDWOOD

EMPIRE OAK HERRINGBONE

Engineered



5014 Roosevelt

EMPIRE OAK HERRINGBONE HARDWOOD

	US Units	Metric Units
Style Number	SW706	
Construction	Engineered	
Species	White Oak	
Nominal Overall Thickness	1/2"	12 mm
Nominal Width	4.72"	119.89 mm
Maximum Length	23.62"	59.99 cm
Finish	UV Aluminum Oxide	
Gloss Level	7%	
Surface Texture	Wirebrushed	
Edge Description	Micro Bevel	
End Description	Mb	
Profile	Tongue And Groove	
Weight per Carton	45 lbs	20.41 kg
SQFT per Carton	27.9 sq ft	2.59 sq m
SQFT per Pallet	892.8 sq ft	82.94 sq m
Installation Methods	Glue	
Installation Grade	Above, On, Below	
Variation	High	
GREENGUARD® Certified	Yes	
Cradle-to-Cradle Certified	Yes	
Radiant Heat Approved	No	
Residential Warranty	50 Years	
Commercial Warranty	5 Year Commercial	
Installation	Engineered Hardwood Flooring Installation Guidelines	
Maintenance	Hardwood Maintenance Guidelines	
All measurements are nominal.	Cartons may include random lengths.	

Features

With classic charm and natural elegance, Empire Oak adds rich character to your home. This herringbone style allows you to create a unique installation that makes a stylish and bold statement on the floor. Part of the Gallery Collection of premium hardwood, Empire Oak is hand selected by design experts to bring the natural artistry of hardwood into your home. The clean look and understated finishes let the beauty of the wood shine through for a timeless look that ages gracefully.


EMPIRE OAK HERRINGBONE

HARDWOOD

Colors



1007 Astor



1028 Carnegie



5014 Roosevelt