



9003 Midnight

	US Units	Metric Units
Style Number	200SA	
Construction	Engineered	
Species	Maple	
Nominal Overall Thickness	3/8"	8.2 mm
Nominal Width	6.38"	162.05 mm
Maximum Length	Random lengths up to 58.5"	Random lengths up to 148.59 cm
Finish	Repel - Water Resist	
Gloss Level	40%	
Surface Texture	Scraped	
Edge Description	Pillowed	
End Description	PI	
Profile	Tongue And Groove	
Weight per Carton	46 lbs	20.86 kg
SQFT per Carton	30.48 sq ft	2.83 sq m
SQFT per Pallet	1371.6 sq ft	127.42 sq m
Installation Methods	Nail, Staple, Glue, Floating	
Installation Grade	Above, On, Below	
Variation	Moderate	
GREENGUARD® Certified	Yes	
Cradle-to-Cradle Certified	Yes	
Radiant Heat Approved	Yes	
Residential Warranty	Repel Hardwood Lifetime	
Commercial Warranty	5 Year Commercial	
Installation	Repel Water Resistant Hardwood Flooring Installation Guidelines	
Maintenance	Hardwood Maintenance Guidelines	
All measurements are nominal.	Cartons may include random lengths.	

Features

Mendocino highlights maple's mild wood grain and character in a wide plank format. Subtle scraping creates a soft rolling texture that delicately maintains the clean, modern look of maple.

Suggested Adhesive

Style Name	Style Number
35MC	HS105
Urebond Plus	SWADH

Trim Pieces length: 78" (*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)



SRH38
Flush Reducer



SORH8
*Overlap Reducer



SSH38
Flush Stairnose



SOSH8
*Overlap Stairnose



SCH38
Threshold / Carpet
Reducer



TMH78
T-Molding



QTR96
Quarter Round



MADE IN THE USA

Trim images are for illustration purposes only. Actual dimensions will vary. Contact the Shaw Information Center for additional details: 800-441-7429.

MENDOCINO



Colors



1001 Gold Dust




2005 Buckskin



3000 Bison



5002 Timberwolf



9003 Midnight