

CARPET

Montage I

Soft Surface - Shaw Floors



130A Spun Wool

	US Units	Metric Units
Style Number	5E081	
Product Type	Soft Surface - Shaw Floors	
Collection	Simply The Best	
Description	Texture	
Fiber	100% PET Polyester	
Dye Method	Continuous Dyed	
Primary Backing	Polypropylene	
Secondary Backing	ClassicBac®	
Product Size	12 ft	3.66 m
Face Weight	48.8 oz/yd ²	1654.6 g/m ²
Finished Pile Thickness	0.48 in	12.19 mm
Gauge	5/32 in	25.2 per 10 cm
Tufts	9.1 per in	36 per 10 cm
Density	3660 oz/yd ³	0.135 g/cm ³
Twist Information	6.05	
Number of Colors	18	
Pill Test	Pass	
FHA Data UM44D		
Certification Number	53291	
Type	I	
Class	1&2	
Texture	B	
Durability Rating	3.00	
Total Recycled Content	0% (Pre-Consumer 0% Post-Consumer 0%)	
Warranty	Shaw 15 Year Warranty 30 Day Customer Satisfaction	
Maintenance	Carpet Care & Maintenance Guide	
Environmental	Environmental Product Declaration (EPD) CRI® Green Label Plus (GLP8078)	

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Features

This heavy handed beauty has it all - comfort, style, variety and softness, not to mention great value. Available in a solid, tonal, fleck and accent.

Colors

Montage I

CARPET

Colors

				
100S Painter's Canva	101S Sculptor Clay	102S Parisian Lights	103S Polished Stone	120T Shoreline Haze
				
121T Chateau	130A Spun Wool	131A Morning Frost	140A Lunar Surface	141A Adobe
				
500S Classic Silver	501S Cosmic Quest	520T Carbon Copy	530A River Rock	700S Hidden Treasure
				
701S Mission	720T Midtown Brown	740A Tempting Taupe		

