LUXURY VINYL

PLATEAU
fiberglass sheet

811 Fireside

shawfloors.com

For reference purposes only if printed or downloaded.

PLATEAU

LUXURY VINYL

	US Units	Metric Units
Style Number	**SA605**	
Construction	Residential Resilient - Sheet	
Profile	Direct Glue	
Overall Thickness	0.055"	1.399 mm
Wear Layer Thickness	10 mil (0.01")	0.3 mm
Finish	Opticlean Urethane	
Installation Methods	Direct Glue	
Installation Grade	Above, On, Below	
FloorScore Certified	Yes	
Residential Warranty	10 Years	
Installation	Duratru Resilient Flooring Installation Guide	
Radiant Panel (ASTM E648)	Passes, Class I	

Features

Classic designs in only the best colors.

Colors

114 Keystone
Pattern: 29Inch W x 36Inch L
Drop: 14Inch

224 Mission
Pattern: 24Inch W x 36Inch L
Drop: 12Inch

529 Stronghold
Pattern: 29Inch W x 36Inch L
Drop: 14Inch

532 Tavern
Pattern: 48Inch W x 36Inch L
Drop: 12Inch



541 Crossbeam
Pattern: 36Inch W x 36Inch L
Drop: 18Inch

551 Pathfinder
Pattern: 48Inch W x 36Inch L
Drop: 12Inch

602 Outpost
Pattern: 48Inch W x 36Inch L
Drop: 12Inch



721 Manifest
Pattern: 48Inch W x 36Inch L
Drop: 12Inch

811 Fireside
Pattern: 36Inch W x 36Inch L
Drop: 18Inch

For reference purposes only if printed or downloaded.

Suggested Adhesive

Style Name	Style Number
SHAW 350 PS ADH 1G	VS053
153VS	SHAW SV-1200 1 GAL
100SA	100BA
VS187	101SA

For reference purposes only if printed or downloaded.