



500 Light Year



|                                | US Units   | Metric Units            |
|--------------------------------|--|-------------------------|
| <b>Style Number</b>            | <b>HFN83</b>   |                         |
| <b>Construction</b>            | Soft Surface - Shaw Floors   |                         |
| <b>Description</b>             | Texture  |                         |
| <b>Fiber</b>                   | 100% Eclipse® Enhanced High Performance Polyester  |                         |
| <b>ColorGuard</b>              | Yes  |                         |
| <b>Secondary Backing</b>       | ClassicBac®  |                         |
| <b>Product Width</b>           | 12 ft  | 3.66 m                  |
| <b>Face Weight</b>             | 30 oz/yd <sup>2</sup>  | 1017.2 g/m <sup>2</sup> |
| <b>Finished Pile Thickness</b> | 0.39 in  | 9.91 mm                 |
| <b>Gauge</b>                   | 5/32 in  | 25.2 per 10 cm          |
| <b>Tufts</b>                   | 11.5 per in  | 45 per 10 cm            |
| <b>Density</b>                 | 2677 oz/yd <sup>3</sup>  | 0.099 g/cm <sup>3</sup> |
| <b>Twist Information</b>       | 5.56   |                         |
| <b>Number of Colors</b>        | 12   |                         |
| <b>FHA Data UM44D</b>          |  |                         |
| <b>Certification Number</b>    | 53427  |                         |
| <b>Type</b>                    | I  |                         |
| <b>Class</b>                   | 1  |                         |
| <b>Texture</b>                 | B  |                         |
| <b>Durability Rating</b>       | 3.75   |                         |
| <b>Total Recycled Content</b>  | 24.65% (Pre-Consumer 0%   Post-Consumer 24.65%)  |                         |
| <b>Warranty</b>                | Hf Performance   |                         |
| <b>Maintenance</b>             | <a href="#">Carpet Care &amp; Maintenance Guide</a>  |                         |
| <b>Environmental</b>           | <a href="#">Environmental Product Declaration (EPD)</a><br><a href="#">CRI® Green Label Plus (GLP9970)</a> |                         |

## Features

Built to perform now featuring Endurance Enhanced High-Performance Polyester

## Colors



