



107 Forest Fog



	US Units	Metric Units
Style Number	HFN87	
Construction	Soft Surface - Shaw Floors	
Description	Pattern	
Fiber	100% Eclipse® Enhanced High Performance Polyester	
ColorGuard	Yes	
Secondary Backing	ClassicBac®	
Product Width	12 ft	3.66 m
Face Weight	25 oz/yd ²	847.6 g/m ²
Finished Pile Thickness	0.37 in	9.4 mm
Gauge	1/8 in	31.5 per 10 cm
Tufts	9.3 per in	36 per 10 cm
Density	2374 oz/yd ³	0.088 g/cm ³
Twist Information	5.2	
Number of Colors	9	
Pattern Repeat	No Pattern Match	
Pill Test	Pass	
FHA Data UM44D		
Certification Number	53440	
Type	I	
Class	1	
Texture	B	
Durability Rating	3.00	
Total Recycled Content	0% (Pre-Consumer 0% Post-Consumer 0%)	
Warranty	Hf Performance	
Maintenance	Carpet Care & Maintenance Guide	
Environmental	Environmental Product Declaration (EPD) CRI® Green Label Plus (GLP9970)	

Features

As hardsurface reigns on main floors, patterns rule in secondary areas, bedrooms, home offices, basements, and more. Foxwood Creek is our newest no pattern match style. The ease of installation combined with the beauty of nondescript patterns are essential for homebuyers. This small scale pattern is fresh and on-trend in 9 colorways. This 25 ounce 100% solution dyed PET features R2X and ColorGuard. We are excited to bring affordable luxury to your homes and innovate to elevate our brand.

Colors



