



7746 Pittsfield Greige

Style Number	HL120
Nominal Thickness	12 mm
Nominal Thickness Including Pad	12 mm
Nominal Width	7.55"
Profile	Lock N Place
Texture	All Over
Edge Description	Lacquered Bevel
Surface Finish	Waterproof
AC Rating	AC5
SQFT per Carton	18.58 sq ft
SQFT per Pallet	817.52 sq ft
Attached Pad	Yes
Installation Grade	All Levels of the Home
Residential Warranty	Residential Waterproof 50 Year Warranty with 30 Year Scratch
Installation	Residential Laminate LockNPlace With Clip Installation Guidelines
Maintenance	Laminate Maintenance Guidelines

Sundry Recommendations

Style Number	Style Name	Coverage
UNDERLAYMENT		
6MILP	Poly Film (for concrete subfloors only)	100 SQFT per roll
CLEANER		
130BA	Hard Surface Cleaner	32 oz. spray bottle
BACKER ROD		
463BA	Backer Rod	100 LF per bag

Trim Pieces length: 7' 10" (when ordering please include color number)



RD1BL
Multi Purpose
Reducer




TM1BL
T-Molding




QTRBL
Quarter Round



OLSBL
Stairnose



BT1BL
Baby Threshold



FS1BL
Flush Stairnose



Q11BL
Square Edge
Stairnose



TR1BL
Round Stair Tread



SQTBLL
Square Stair Tread

Colors

1050 Waterbury Cream



1051 Coconut Grove



2040 Woodmont Buff



2042 Sherwood Tan



5064 Northwood Gray



7744 Woodacres Brown



7746 Pittsfield Greige

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.