




7329 Natural Umber

	US Units	Metric Units
Style Number	VE481	
Construction	WPC	
Profile	Fold-N-Tap	
Size	9" x 60"	22.86 cm x 152.4 cm
Overall Thickness	0.276"	7 mm
Wear Layer Thickness	20 mil (0.02")	0.5 mm
Attached Underlayment	Attached Pad	
Attached Underlayment Thickness	0.059"	1.5 mm
Finish	ScuffResist	
Edge Description	Accent Bevel	
Area per Carton	30.18 sq ft	2.8 sq m
Area per Pallet	1810.8 sq ft	168.23 sq m
Installation Methods	Floating	
Installation Grade	All Levels of the Home	
Residential Warranty	Lifetime Residential Resilient Limited Warranty - Defects, Wear, Waterproof, Petproof	
Commercial Warranty	10 Year Light Commercial	
Installation	Floorte and Floorte™Plus WPC Installation	


Features

Exceptionally durable and easy to clean, resilient vinyl flooring is a great choice for high-traffic areas. And with wood, tile and stone looks, it's as stylish as it is strong. But this is no ordinary vinyl flooring—it comes with Armourbead™, a wear layer that offers astounding performance. It's just one of the many advantages that come with a Shaw floor.

Colors




Coordinating Trim




Baby Threshold*

BT7HB | 94"



T-Molding*

TM7HB | 94"



Multi-Purpose Reducer

RD7HB | 94"



Quarter Round

QTRHB | 94"



Flush Stairnose

FS6HB | 94"

*Packaged with molding track