



2097 Flaxen

	US Units	Metric Units
<b>Style Number</b>	<b>374MF</b>	
<b>Construction</b>	Residential Resilient LVT-Drybac<=2Mm	
<b>Profile</b>	Direct Glue	
<b>Size</b>	7" x 48"	17.78 cm x 121.92 cm
<b>Overall Thickness</b>	0.079"	2 mm
<b>Wear Layer Thickness</b>	8 mil (0.008")	0.2 mm
<b>Edge Description</b>	Square	
<b>Area per Carton</b>	51.33 sq ft	4.77 sq m
<b>Area per Pallet</b>	2566.5 sq ft	238.44 sq m
<b>Installation Methods</b>	Direct Glue	
<b>Installation Grade</b>	All Levels of the Home	
<b>Residential Warranty</b>	<a href="#">Residential Resilient Limited Warranty - Defects</a> 15 Years	
<b>Commercial Warranty</b>	5 Year Light Commercial	
<b>Installation</b>	<a href="#">Installation Guidelines for Luxury Vinyl Plank and Tile</a>	
<b>Smoke Density (ASTM E662, Flaming Mode)</b>	Passes, <450	
<b>Radiant Panel (ASTM E648)</b>	Passes, Class I	

## Features

Limitless II lives up to its name. This 8mil is available in all colors from your spec level needs including sheet, 12 mil, 20 mil, Loose Lay, SPC, and Limitless 5mm w/acoustical pad

## Colors



**Coordinating Trim**



**Omni Trim\***

OMNMB | 94"



**Quarter Round**

OQRMB | 94"



**Overlap Stairnose\***

OOLMB | 94"

\*Packaged with molding track