



7319 Serene Greige

	US Units	Metric Units
<b>Style Number</b>	<b>VE482</b>	
<b>Construction</b>	SPC	
<b>Profile</b>	Click	
<b>Size</b>	7" x 59"	17.78 cm x 149.86 cm
<b>Overall Thickness</b>	0.256"	6.5 mm
<b>Wear Layer Thickness</b>	20 mil (0.02")	0.5 mm
<b>Attached Underlayment</b>	EVA Pad	
<b>Attached Underlayment Thickness</b>	0.059"	1.5 mm
<b>Finish</b>	ScuffResist	
<b>Edge Description</b>	Lacquered Bevel	
<b>Area per Carton</b>	23.69 sq ft	2.2 sq m
<b>Area per Pallet</b>	1066.05 sq ft	99.04 sq m
<b>Installation Methods</b>	Floating or Direct Glue	
<b>Installation Grade</b>	All Levels of the Home	
<b>Residential Warranty</b>	<a href="#">Residential Resilient Lifetime Limited Warranty</a>	
<b>Installation</b>	<a href="#">Luxury Vinyl Pro Fold-N-Tap Installation Guidelines</a>	
<b>Maintenance</b>	<a href="#">Residential Resilient Maintenance</a>	

## Features

Exceptionally durable and easy to clean, resilient vinyl flooring is a great choice for high-traffic areas. And with wood, tile and stone looks, it's as stylish as it is strong.

## Colors





7316 Weathered Brown



7317 Driftwood Taupe



7318 Stormy Espresso




7319 Serene Greige




7369 Brown Bark

Coordinating Trim




Baby Threshold\*

BT7HB | 94"



T-Molding\*

TM7HB | 94"



Multi-Purpose Reducer

RD7HB | 94"



Quarter Round

QTRHB | 94"



Flush Stairnose

FS6HB | 94"

\*Packaged with molding track